



# 8-Port Gigabit GREENnet Switch

TEG-S81g (v2.0R)

- Plug and Play installation
- 8 x Gigabit ports
- 16 Gbps switching fabric
- Up to 70% energy savings with GREENnet technology\*

TRENDnet's 8-Port Gigabit GREENnet Switch provides performance, proven reliability, and power savings of up to 70%\*. Eliminate network congestion with Gigabit speeds and total switching capacity of 16 Gbps. Plug and Play this switch for reliable high speed network connectivity.





### **Plug and Play**

Simply power up the switch and plug in connected devices



#### **LED Indicators**

LED indicators convey port status



#### **Ports**

8 x Gigabit ports

**Switching Capacity** 

16 Gbps switching capacity



#### **Jumbo Frame**

Sends larger packets, or Jumbo Frames, for increased performance



## **Energy Savings**

Embedded GREENnet technology reduces power consumption by up to 70%\*

# **Networking Solution**







# **Specifications**

#### **Standards**

- IEEE 802.3
- IEEE 802.3u
- IEEE 802.3x
- IEEE 802.3ab
- IEEE 802.3az

#### **Device Interface**

- 8 x Gigabit Ports
- · LED indicators

#### **Data Transfer Rate**

- Ethernet: 10 Mbps (half duplex), 20 Mbps (full duplex)
- Fast Ethernet: 100 Mbps (half duplex), 200 Mbps (full duplex)
- Gigabit: 2000 Mbps (full duplex)

#### **Performance**

- Data Ram Buffer: 256 KBytes
  Switch Fabric: 16 Gbps
  MAC Address Table: 8K entries
- Forwarding rate: 11.9 Mpps (64-byte packet size)
- Jumbo frame: 9 Kbytes

#### **Special Features**

· GREENnet energy saving technology

#### Power

- Input: 90 260 V AC, 50/60 Hz, 0.2 A
- Output: 5 V DC, 1 A
- Consumption: 3.5 Watts (max.)

#### **Operating Temperature**

• 0 – 40 °C (32 - 104 °F)

#### **Operating Humidity**

• Max. 90% non-condensing

#### **Dimensions**

• 150 x 97 x 28 mm (5.9 x 3.8 x 1.1 in.)

#### Weight

• 186 g (6.6 oz.)

#### Certifications

- CE
- FCC

#### Warranty

• 3 year limited

### **Package Contents**

- TEG-S81a
- Quick Installation Guide
- Power Adapter (5 V DC, 1 A)

