

Data sheet


Keystone wall outlet 45x45 mm
2 ports unequipped, pure white RAL 9010

P/N
130915J4502KE
EAN 4250184140986
 2025/05/13
 Version: AD


Illustrations



Dimensional drawing



Cut-out



See enlarged drawings at the end of document

Product specification

- duct connector to hold one or two individual modules in Keystone design
- module plug direction approx. 30° downwards
- strain relief on module
- dust protector flaps
- suitable for cable ducts with 45 snap-lock (4.6 mm detent) for example GGK raceway with 45 mm top section and M45 installation devices, OBO Rapid 45-2 and comparable manufacturers
- vertical and horizontal mounting direction
- cover parts in color similar to pure white RAL 9010, glossy surface
- reference list on request and on our website www.metz-connect.com
- variants: 1 port, 2 ports



Data sheet

Page 2/5

Keystone wall outlet 45x45 mm 2 ports unequipped, pure white RAL 9010

P/N
130915J4502KE
EAN 4250184140986
2025/05/13
Version: AD

Technical Data

General Data

| | |
|---|-----------------------------------|
| Fields of application | office areas |
| Mechanical measurement according to MICE | M1 |
| Ingress measurement according to MICE | I1 |
| Climatic measurement according to MICE | C1 |
| Electromagnetic measurement according to MICE | E3 |
| Design | wall outlet |
| Color | pure white - RAL 9010 |
| Dimensions | |
| Dimension (L x W x H) | 27.5 mm x 45 mm x 45 mm |
| Dimension (L x W x H) | 1.083 in. x 1.772 in. x 1.772 in. |
| Labeling option | on housing |

Connections/interfaces

| | |
|--|---------------|
| Number of ports interface 2 | 2 |
| Number of ports interface 2 equipped | 0 |
| Number of ports with dust protection interface 2 | 2 |
| Module plug-in direction | 30° downwards |

Mechanical data

| | |
|---------------|--------------------|
| Cut-out | Keystone |
| strain relief | attached to module |

Materials and material properties

| | |
|----------------------------|--------------------|
| Material - Cover part(s) | ABS |
| Material - Module support | PC (polycarbonate) |
| Material - Spring | stainless steel |
| Material - Dust protection | ABS |
| Halogen free | yes |
| RoHS | compliant |



Data sheet

Page 3/5

**Keystone wall outlet 45x45 mm
2 ports unequipped, pure white RAL 9010**

P/N
130915J4502KE
EAN 4250184140986
2025/05/13
Version: AD

Technical Data

Classifications

| | |
|----------|----------|
| ETIM 7.0 | EC001264 |
| ETIM 8.0 | EC001264 |
| ETIM 9.0 | EC001264 |

Packing details

| | |
|---------------------------------|------------------------------------|
| Type of packaging | 1 pc(s) / plastic bag |
| Packaging unit - Weight (gram) | 19 g |
| Packaging unit - Weight (pound) | 0.04 lb |
| Packaging dimension | 160 mm x 100 mm x 380 mm |
| Packaging dimension | 6.299 in. x 3.937 in. x 14.961 in. |

Application note

This product is a standard product of METZ CONNECT. METZ CONNECT is not aware of the specific intended use of the goods by the Customer or any customers of the Customer. The Customer guarantees that it has fully and sufficiently tested the use of the goods and any product modifications, product changes or product enhancements with regard to the specific intended use in accordance with the state of the art or in any other way. At METZ CONNECT's request, the Customer shall submit and make available meaningful evidence (e.g. test and laboratory protocols, certifications, etc.).



Data sheet

Page 4/5

**Keystone wall outlet 45x45 mm
2 ports unequipped, pure white RAL 9010**

P/N

130915J4502KE

EAN 4250184140986

2025/05/13

Version: AD

Accessories

| P/N | Designation |
|---------------|-----------------------------------|
| 130910R4502-E | Frame 80x80 mm for 45x45 mm white |



Data sheet


Page 5/5

Keystone wall outlet 45x45 mm
2 ports unequipped, pure white RAL 9010

P/N
130915J4502KE
 EAN 4250184140986
 2025/05/13
 Version: AD

Illustrations

Dimensional drawing



Cut-out

